

TECHNICAL CASE STUDY

Spatial Cognitive Fabric and Heuristics Lens

Explaining enterprise heuristics through interactive comparisons and visual metaphors

CLIENT	INDUSTRY	DURATION	TEAM
Independent portfolio	Design communication	Not documented	Keith Trowbridge

At a Glance

3	4	2	0
Concept modules	Evaluation criteria	Comparison states	Verified speed claims

Figure 1. Documented scope, reference values and design targets; labels are not verified production results.

1. Executive Summary

The source proposes three visual portfolio concepts: a spatial cognitive fabric, an X-ray comparison lens, and an interactive demonstration of heuristic optimization. Keith Trowbridge’s objective is to make enterprise design reasoning memorable to design leaders and technical recruiters. This case study turns the concepts into a scoped interaction system with equivalent keyboard controls, restrained animation and evidence-aware labels. The graphics communicate design mechanisms; source labels such as 100% efficiency or sub-14 ms latency are not benchmark results. [SRC; W3; T2]


KEY TAKEAWAY

Every visual effect should make one design decision easier to understand.

2. Background & Challenge

2.1 Context

Recruiters and design leaders often have limited time to understand a portfolio. A moving grid or reveal lens can introduce the subject quickly, but should connect immediately to the specific defect, rule and observable correction. The underlying material concerns four geospatial review criteria. The interactive concepts supplement that reasoning rather than substitute for evidence about operator performance. [SRC]



Illustrative photograph. AI-generated conceptual setting; not an actual facility, client, product screenshot or delivered customer portrait.

The Portfolio Components document combines prompts and prototype code for three immersive demonstrations. Its fabric and X-ray lens are valuable explanatory concepts, but their stress, efficiency and latency labels are theatrical state indicators without a supplied measurement model. This case study reframes them as labeled visual metaphors and specifies a testable, accessible presentation strategy suitable for the existing professional website.

Content mapping. Each module should answer one question: what is obscured, why it matters, and what changed. Align the before and after states to the same data and view. A different map extent or a lower asset count would make the comparison visually impressive but analytically unfair. Keep the essential explanatory text outside decorative clipping and ensure it is available without hover.

2.2 The Problem

Cursor-driven spectacle can obscure its own thesis, create motion discomfort, or exclude visitors using keyboards and touch screens. A scripted badge that changes with pointer position is not a contrast measurement. Claims such as total efficiency or stress reduction have no defined measurement process in the supplied prototype. The problem is to make a rich visual metaphor credible, accessible and understandable without false instrumentation. [SRC; W1–W3]

- **Decorative motion can demand more attention than the explanation it is meant to support.**
- **Mouse-only reveal interactions leave keyboard and touch visitors without equivalent access.**
- **Hard-coded metric badges appear measured even when they only reflect scripted state.**

2.3 Goals & Constraints

Goal	Success Criteria	Constraint
Clear explanation	Each module exposes defect, correction and rationale	Visual metaphor labeled
Equivalent interaction	Buttons or range controls reveal both states	No hover-only essential content
Motion control	Reduced motion retains all content and actions	Pause decorative animation
Evidence integrity	Metrics identify targets, examples or observations	No scripted compliance claims

Table 1. Project objectives and constraints.

3. Solution Overview

Treat each concept as an optional teaching module. The fabric illustrates clutter and grouping, the lens compares matched visuals, and the rule panel translates the observation into a testable acceptance statement. Store each module's explanatory text, images and state labels in a reusable content record. A visitor should be able to read the entire conclusion without manipulating the effect, then use the effect to inspect a specific mechanism. [SRC]

Component contract. Store the criterion ID, title, flaw explanation, correction explanation, evidence caption and paired asset paths together. Keep interaction IDs unique when multiple modules share a page. The reveal control should not change scenario data or geometry; it changes only the displayed portion of matched evidence. A rule-generator tab can expose the observation, acceptance rule and illustrative implementation separately. The cognitive fabric should identify itself as a metaphor so an elastic grid distortion is not mistaken for a measured model of human stress.

3.1 Approach

1. **Discover: define the audience question answered by each module and remove unsupported performance badges.**

2. **Design:** align comparison images and pair every pointer interaction with buttons or a labeled range control.
3. **Build:** use scoped CSS and a single animation scheduler; pause off-screen work and preserve readable static states.
4. **Validate and launch:** assess explanation comprehension, keyboard access, reduced motion, mobile layout and rendering overhead.

3.2 Technology Stack

Layer	Technology	Rationale
Content	Structured JSON or PHP records	Reusable explanatory modules
Comparison	Native controls and CSS clipping	Lightweight matched image reveal
Fabric	Canvas or locally bundled Three.js	Optional spatial visual metaphor [T2]
Evidence	Captions, rubric links and observed test records	Separate illustrations from measurements

Table 2. Technology stack and selection rationale.

4. Architecture & Implementation

4.1 System Architecture

A content record supplies criterion text and matched visuals to a server-rendered module. Interaction state changes a reveal percentage or a labeled mode. The visual layer responds without replacing semantic content. A motion preference controls nonessential animation; evidence links remain ordinary navigable content. No display badge should claim compliance unless it derives from an actual test with documented inputs. [SRC; W1–W3]




Figure 2. Proposed architecture and information flow; diagram is not deployment evidence.

Lifecycle and input. Track module initialization and dispose listeners when the component leaves the page. Normalize pointer coordinates to the actual comparison container and recalculate after resizing. Touch interactions should not capture ordinary page scrolling indefinitely. A native range control and

explicit before/after buttons supply predictable keyboard behavior, while the free-moving lens remains optional enhancement.

4.2 Key Technical Decisions

DECISION

Use progressive enhancement rather than an animation-first page. Keep a complete static explanation and add comparison controls when JavaScript initializes. Consider a simple range reveal before a free-moving X-ray lens: it is easier to operate on touch and keyboard and supports an explicit percentage. Trade-off: the simpler control is less theatrical, but its behavior and accessibility are more predictable. [W3]

Metric labels. Remove 100% efficiency, 34% loss and stress-engine values unless a documented calculation exists. The source's sub-14 ms badge cannot establish frame time without instrumentation. A contrast example can teach the concept, but a real test must use the actual foreground/background values and criterion scope. Full WCAG conformance extends beyond a favorable contrast ratio. [W1-W3]

4.3 Code or Configuration Snippet

```
// Example reveal behavior; not a contrast calculator
const reveal = document.querySelector("[data-reveal]");
const range = document.querySelector("[data-range]");
function updateReveal(value) {
  const pct = Math.max(0, Math.min(100, Number(value)));
  reveal.style.clipPath = `inset(0 ${100-pct}% 0 0)`;
  range.value = pct;
}
range.addEventListener("input", e => updateReveal(e.target.value));
// Provide labeled buttons for the complete before/after views.
// Respect reduced motion; retain the explanatory text.
```

Listing 1. Illustrative logic; integration, error recovery and tests remain implementation work.

4.4 Challenges Encountered

CHALLENGE AND RESOLUTION

The source's X-ray code assigns 7.4:1 or 1.8:1 based on cursor location. Replace those badges with clearly labeled example states, or calculate contrast from documented foreground/background values. Neither the cursor position nor a pre-rendered image establishes a complete accessibility result. Keep pointer effects bounded within their container, avoid intercepting page scroll, and offer reduced motion without hiding the corrected state. [SRC; W1-W3]

Motion and readability. Avoid violent fracture, unbounded particle duplication and persistent pulsing in the default experience. A paused or reduced-motion state should communicate both legacy and corrected conditions through stable images and text. Name controls by their action, announce selected

comparison state where helpful, and keep focus visible against both visual layers. An instruction popup should be deliberate and dismissible rather than appear only on first mouse movement. Do not let an overlay hide the explanation or trap the visitor inside a decorative canvas. [W3]

5. Results & Impact

Evidence status. The source establishes the problem, requirements or described service. No supplied experiment log establishes production uptime, revenue uplift, measured user satisfaction or completed browser acceptance. The table distinguishes source observations from proposed corrections; quantified examples are not substituted for missing client measurements.

Metric	Before	After or Target	Evidence or Change
Module set	Three concept prompts	Three scoped teaching modules	Conceptual architecture
Reveal control	Pointer-dependent lens	Range and state buttons	Proposed inclusive behavior
Metric badges	Scripted values	Example or measured labels	Evidence correction
Performance	60 fps / latency aspirations	Device-specific measurements	No supplied benchmark
Comprehension	Not measured	Task-based visitor assessment	Proposed study

Table 3. Source observations and proposed outcomes with evidence status.

Evaluation plan. Ask visitors to identify the original defect and explain the correction after using a module. Compare with a static version using matched content. Record comprehension accuracy, task completion, optional interaction use and motion-related abandonment. Measure rendering on stated browser/device combinations and pause off-screen work. Report results as observations from that test rather than universal performance properties.

5.1 Business Impact

- **Efficiency:** reusable content records can reduce duplicated editing and keep explanations consistent; maintenance savings are not measured.
- **Revenue and cost:** the portfolio may support professional positioning, but no lead conversion or hiring outcome is documented.
- **Experience:** matched comparisons can make corrections easier to inspect when motion is optional and the explanation remains available.

VALIDATION STATUS

No attributable client testimonial or independently verified outcome was supplied. The case study is complete as a researched analysis; implementation and commercial claims require the specified project evidence.

6. Lessons Learned

What Worked	What We Would Do Differently
Connect each effect to one design rule	Remove effects that do not improve explanation
Use genuine controls for the reveal	Test keyboard, touch and reduced motion
Make evidence visible	Avoid performance and compliance badges without measurements

Table 4. Retrospective highlights.

Editorial discipline. Prefer a concrete explanation over labels such as optimized or compliant. State which rule changed and what evidence is required to assess it. A portfolio experience can demonstrate design reasoning without claiming a client deployment, measured safety gain or an advanced training system. This distinction makes the work easier for technical reviewers to trust.

7. Next Steps

The roadmap below is a proposed progression, not a commitment or a report of completed releases. Prioritize evidence that resolves the greatest uncertainty before adding visual scope.

- Next 30–90 days: implement the simplest reveal module and assess whether visitors can explain its design correction.
- Next six months: add the fabric only if usability and performance tests justify its value; standardize content and evidence records.
- Longer term: compare interactive and static presentations using comprehension and engagement measures rather than aesthetic preference alone.
- Technical evidence plan. Record initialization time, image payload, animation frame behavior and interaction errors under stated device conditions. Compare modules with the background video active because the existing portfolio’s rendering workload matters. Use local optimized assets and avoid adding a whole application framework solely for a reveal effect. Keep module styles namespaced so they do not change the global navigation or case-study pages. Before release, inspect multiple modules on one page and confirm that listeners, control labels and selected states remain independent.

Appendix

A. Glossary

Term	Definition
Progressive enhancement	A complete basic experience with optional richer behavior.
Reveal state	How much of the corrected comparison is visible.
Visual metaphor	An illustration of a concept, not a physical measurement.
Reduced motion	Preference that minimizes nonessential movement.
Semantic control	A named native interface element with expected behavior.

Table 5. Terms used in this document.

B. Sources and Research Notes

[SRC] Primary source: Case Studies/Interactive Spatial Intelligence Dashboard/Portfolio Components.docx. Related documents in the supplied archive inform cross-project context. Research checked 7 October 2026. Additions are proposed designs or validation methods unless explicitly attributed to source evidence.

[W1] W3C. Contrast Minimum. <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum.html>

[W2] W3C. Non Text Contrast. <https://www.w3.org/WAI/WCAG22/Understanding/non-text-contrast.html>

[W3] W3C. What Is New in WCAG 2.2. <https://www.w3.org/WAI/standards-guidelines/wcag/new-in-22/>

[T2] Three.js. Responsive Design. <https://threejs.org/manual/pages/responsive.html>

Method and limitations. Source assertions, representative simulations, illustrative graphics, researched implementation guidance and proposed acceptance targets are kept distinct. Research can support design choices but cannot establish missing historical client facts, actual delivery dates, measured results or testimonials.

C. About the Author

Keith's life has been shaped by curiosity, adventure, service, and a willingness to step into unfamiliar territory. He is married to his best friend and is the proud father of two Auburn University graduates, both thriving in their respective careers. For all the places he has been to, and the experiences he has gathered, his family remains the center of his life.

His interests span, archaeology and biblical research, skydiving, base jumping, and rock climbing, writing and drawing, and design and development. Across those pursuits runs a common thread: a desire to explore, understand, and create. He is as drawn to questions about the ancient world as he is to the possibilities taking shape in the next generation of technology.

Keith has traveled to every continent except Antarctica, lived in the United States, India, and Israel, and spent more than 20 years immersed in international cultures. Those experiences have deepened his appreciation for different perspectives and the importance of understanding people within the context of their lives. He served in the U.S. Army as a team leader with a special operations unit under Joint Special Operations Command (JSOC) and later supported global anti-human-trafficking organizations through field-based roles.

Today, Keith brings that breadth of experience to his work in AI strategy, design, and development. He sees the present as one of the most extraordinary periods of technological change in human history—and approaches it with the same curiosity that has carried him across the world. His focus is on turning emerging possibilities into useful tools, thoughtful experiences, and businesses that solve real problems. He remains an explorer at heart, with more to learn, more to build, and more to contribute.



Keith Trowbridge

AI Product Designer and AI Strategy Consultant

SarDev AI Labs

keith@keith-trowbridge.com

linkedin.com/in/keith-trowbridge

keith-trowbridge.com